Dart Aerospace Ltd. Thursday, 11/23/2006 11:53:17 AM Date: ¿ User: Kim Johnston **Process Sheet** : SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** Job Number : 29663 **Estimate Number** : 10534 41U: : D2574 **Part Number** P.O. Number S.O. No. : NA : 11/23/2006 **Drawing Number** : D2574 REV E This Issue Prsht Rev. Project Number : N/A : NA : MACHINED PARTS Type First Issue **Drawing Revision** : 29513 **Previous Run** Material : 1711x **Due Date** : 12/20/2006 Qty: 12 Um: Written By Checked & Approved By JLM Comment 06-01-27 **Additional Product** Job Number: Description: Seq. #: **Machine Or Operation:** 1.0 D6101005 7075-T7351 8.25X5.0X2.5 Comment: Qty.: Total: 12.0000 Each(s) 1.0000 Each(s)/Unit 7075-T7351 8.25X5.0X2.5 Make from D6101-005 billet for D2574 Ensure that grain is along 5.00" length 06/12/11 Batch No: 1325351 HAAS CNC VERTICAL MACHINING #1 HAAS1 2.0 Comment: HAAS CNC VERTICAL MACHINING #1 Program Batch No. 29663 Double check by: 6/12/09 1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets 4-Deburr and remove all machining marks 5-Tumble to remove sharp edges.

3.0 MILLING CONV. CONVENTIONAL MILLING MACHINE


Comment: CONVENTIONAL MILLING MACHINE

Machine keyway as per dwg D2573 & D2574

4.0 QC2

INSPECT PARTS AS THEY COME OFF MACHINE

Comment: INSPECT PARTS AS THEY COME OFF MACHINE



Each

## Dart Aerospace Ltd

W/O:			WORK ORDER CHANGES								
DATE	STEP		PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
- was single		•			7						
		•									
·											
	<u> </u>			·				<u> </u>	<u> </u>		

Part No:	PAR#: Fault (	Category:	_ NCR: Yes No	DQA:	Date: <u>//</u> 2	<u> 1</u> 2
	·		QA: N/C C	losed:	Date:	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)										
		Description of NC		Corrective Action Section B	Verification	Approval	Approval					
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector				
·												
	d Color											
				· · · • · · · · · · · · · · · · · · · ·		g. 94. 9	P <sup>*</sup>					
	,											

NOTE: Date & initial all entries

Thursday, 11/23/2006 11:53:17 AM Date: User: Kim Johnston **Process Sheet** Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 29663 Part Number: D2574 Job Number: Seq. #: Description: Machine Or Operation: SECOND CHECK 5.0 QC8 Comment: SECOND CHECK 6.0 HAND FINISHING HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 (13) Acid etch and Alodine as per QSI 005 4.1 POWDER COATING POWDER COATING 7.0 M10239 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 8.0 QC3 Comment: INSPECT POWDER COAT 9.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 57-35 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE V Olel TU Job Completion

## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					**
DATE	STEP	PROCEDURE CHANGE				Approval Chief Eng / Prod Mgr	Approval QC Inspector
			4				
Part No	:	PAR #: Fault Category: NC	R: Yes	No DQ	<b>A</b> :	Date:	

QA: N/C Closed: \_\_\_\_ Date: \_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)										
		Description of NC		Corrective Action Section B	Verification	Approval						
DATE	STEP	Section A	Initial Chief Eng	Action Description Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector					
		·										
		•										
					·							
					-							
· · · · · · · · · · · · · · · · · · ·												

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	29663
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

	·			Re	corded Acti	ual Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	-DT8682	0,446	0.446	0.446	,440		
В	1.745	1.755		1,750	1.750	1-750	1,700		
С	3.495	3.505		3,800	3,500	3,500	3.300		
D	1.745	1.755		1.750	1.750	1.750	1,750		
Е	7.990	8.010		8,000	8,000	8.600	8-000		
F	0.490	0.510		0.501	0,501	0,50/	.40		
G	0.257	0.262	DT8683	0.258	0.258	0,258	258		
Н	0.375	0.380	DT8684	0,376	6.377	0.377	.347		
I	0.490	0.510		0,500	8.500	0.500	,500		
J	1.174	1.184		1.179	1.179	1.17-9	1.179		
K	0.558	0.578		0,568	0,569	0.569	568		
L	1.174	1.184		1.179	1.179	1.179	1/179		
М	1.365	1.375		1.370	1.370	1.370	1,370		
N	2.495	2.505		2,500	2,500	2.500	2500		
0	4.119	4.129		4.121	4.121	4.121	4.121		
Р	0.115	0.135		0.127	0.127	0.126	127		
Q	0.115	0.135		0.135	0,135	0,135	0,135		
R	0.240	0.260		0,252	6.249	0.249	,245		
S	0.115	0.135		0.128	0,126	0.128	./29		
T	0.178	0.198		0,188	0.188	0.188	0.188		
U	3.210	3.250		3.230	3.232	3.230	3,230		
V	0.230	0.250		0.240	0.246	0,240	.240		
W	0.115	0.135		0.129	0.127	0.127	128		
Х	0.307	0.312		0.308	0.308	0.310	.31/		
Y	0.760	0.765		0.761	0.761	0.761	761		
Z	0.352	0.372		0.363	0.362	0,363	,36 Y		
AA	0.470	0.530		0.500	0,500	0,500	0.500		
AB	0.615	0.635		0,630	0.629	0.629	-626		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.247	0,249	0,248	.248		
AE	1.500	1.520		1.510	1,510	1.510	1.508		
AF	0.115	0.135		0.135	0.135	0,135	0.135		
AG	0.240	0.280		0.270		0.268	-265		
AH	0.240	0.260		0.248	0.247	0.248	248		
Al		2000		2.000	2000	2.000	2.000		
AJ	0.023	0.043		0.033	0.033	0.033	1033		
	Acc	ept/Reje	ct						

_		_	
Measured by: And	Ť	Audited by	ŭ) ,
Date: 06/12/11	P	Date:	optish

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.27	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	1
E	05.12.05	Added dimension AJ	KJ/JLM ox	

		THE TANKS		· · · · · · · · · · · · ·					
						•	· ,		
							•		
						•			
8									
			•						
		•							
\$		*							
*					•				
k.									
:									
en e									
À									
						₹.			
								•	
	v.								
Y.			•				·		
V	!								
									س
			·						, <b>s</b>
				••				January .	•
S.	,	رورة والطبيد	des sandible de la company			•	<b></b>		

DART AEROSPACE LTD	Work Order:	29663
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

			<u> </u>		Recorded Actual Dimensions				- "	
	Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
	Α	0.438	0.443	DT8682	440	. 440	.440	.440		
•	В	1.745	1.755		1,750	1170	1.750	1.750		
	С	3.495	3.505		3500	3.000	3,500	3.500		
•	D	1.745	1.755		1,730	1,200	1,550	1.750		
•	E	7.990	8.010		8.030	8,000	8-001	8000		
-	F	0.490	0.510		,501	501	.500	.501		
	G	0.257	0.262	DT8683	,268	-208	·258	.228		
. [	Н	0.375	0.380	DT8684	376	.376	-376	.346		
.012	Ī	0.490	0.510		.50e)	. 428	,300	, 485		
	J	1.174	1.184		1,178	1,125	1.179	4179		
040	K	0.558	0.578		-568	-566	-568	-567		
	L	1.174	1.184		1,175	1.179	1.179	1-121		
Ī	М	1.365	1.375		1.370	1.370	1.370	1.320		
	N	2.495	2.505		2,500	2 100	2,500	2,800		
	0	4.119	4.129		4,124	4.123	4-122	4.122		
Ī	Р	0.115	0.135		126	,127	1127	.128		
	Q	0.115	0.135		136	133	./35	-135		
	R	0.240	0.260		.250	1200	250	250		
ſ	S	0.115	0.135		126	.127	126	-126		
[	Т	0.178	0.198		6.188	0.188	0.188	0.188		
	U	3.210	3.250		3,230	3,230	3.230	3 230		
[	<b>V</b>	0.230	0.250		-238	.239	-238	-238		
[	W	0.115	0.135		.126	-127	3/1	-127		
	Х	0.307	0.312		-311	310	311	0.316		
	Υ	0.760	0.765		.761	.762	.762	6.761		
	Z	0.352	0.372		- 263	.364	-36/-	-363		
	AA	0.470	0.530		0.500	0.500	0.500	0,506		
ණර	AB	0.615	0.635		-627	,626	-628	.627		
. [	AC	0.053	0.073		0.063	0.063	0.063	0.063		
	AD	0.240	0.260		-250	.218	1257	.250		
	AE	1.500	1.520		1.572	1.571	1.511	1.511		
. [	AF	0.115	0.135		.135	1733	.135	./35		
	AG	0.240	0.280		-265	-265	-265	-265_		
	AH	0.240	0.260		.248	-248	-248	-248		
`	Al	-3-000 -3-000	J.020		2.000	2,000	2.001	2000_		
	AJ	0.023	0.043		-030	.030	-030	650		
		Acc	ept/Reje	ct						

Measured by: SN	Audited by	To .
Date: 06 (12/12	Date:	0642/14

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.27	Re-format; Added Rev. D	KJ .	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	1
Ε	05.12.05	Added dimension AJ	KJ/JLM	

	And the second state of the second se		
	· · · · · · · · · · · · · · · · · · ·		
	, J		
	:		
*			
* . 2.			
		٤	•
V			
(%)))   (%)			
			•
7 27 -			
A Maria	and the same of th		•


DART AEROSPACE LTD	Work Order:	29663	
Description: Saddle, Aft Inboard	Part Number:	D2574	
Inspection Dwg: D2574 Rev. E		Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

	Recorded Actual Dimensions				•					
	Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
	Α	0.438	0.443	DT8682	.440	0,440	0.439	0.439		
Ī	В	1.745	1.755		1.750	1.750	1.756	1.750		
Ī	С	3.495	3.505		740	3,506	3,500	3.500		
Ī	D	1.745	1.755		1,700	1.750	1,750	1.750		
Ī	Ε	7.990	8.010		R COO	8.000	8.000	8.000		
	F	0.490	0.510		.426	0.502	0.500	6,501		
	G	0.257	0.262	DT8683	238		0.258	0.258		
	Н	0.375	0.380	DT8684	376	0.376	0,376	6.376		
612	1	0.490	0.510		-501	0.500	0.500	6.500		
	J	1.174	1.184		1179	1.179	1.179	1,179		
,040	K	0.558	0.578		.567	6.568	0.568	0.568		
. [	L	1.174	1.184		1173	1.179	1.179	1.179		
[	М	1.365	1.375		1.330	1.376	1,370	1.376		
	N	2.495	2.505		2,000	2.500	2,500	2.500		
	0	4.119	4.129		4.123	4.121	4.121	4.122		
[	Р	0.115	0.135		.126	0.126	0.127	0.126		
[	Q	0.115	0.135		1133	-135	-133	0.135		
	R	0.240	0.260		250	6,249	0.249	0.249		
	S	0.115	0.135		127	0.128	0.127	0.128		
	Τ	0.178	0.198		~188	- 188	0.188	0.188		
. [	U	3.210	3.250		3,230	3,230	3,236	3.230		
	V	0.230	0.250		,240	0,241	0.240	0.243		
	W	0.115	0.135		./29	0.127	0.129	0.129		
	X	0.307	0.312		0.309	0.311	0,311	0.311		
[	Υ	0.760	0.765		0.761	0.760	0,760	0.760		
	Z	0.352	0.372		- 365	0.364	0.364	0.364		
	AA	0.470	0.530		-200	.500	0,500	0,500		
.ල0රි [	AB_	0.615	0.635		-626	0.629	0.630	0.628		
	AC	0.053	0.073		-663	-063	0.063	0.063		
	AD	0.240	0.260		.251	0.248	0.248	0,249		
[	AE	1.500	1.520		1.511.	1510	1.511	1.509		
	AF	0.115	0.135		.135	1133	0.135	0.135		
Ī	AG	0.240	0.280		.265	1265	-265	0.276		
Ī	AH	0.240	0.260		.778	0,249	0.250	0.248		
	¥,	2000	2.020	e .	2001	2.000	2.05/	2.001		
	AJ	0.023	0.043		,030	0.033	0.033	0,033		
		Acc	ept/Reje	ct				<u> </u>		

Measured by:	20 1	me	Audited by	8
Date:	06,12,13,	06/12/14	Date:	661/2/14

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.27	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	_1
E	05.12.05	Added dimension AJ	KJ/JLM ox	



	With the	
28c 1		
Section of the sectio		